



Innovators of the Moisture Drilling System® and Water Treatment Technology SCANPOL®
 Consultant for Metal Finishing, PCB Industry, Energy Sector and Treatment of Wastes from these Industries

SCANPOL® PRODUCTS FOR TREATMENT OF WASTE AND WASTEWATER FROM METAL FINISHING, PCB AND PAINTING INDUSTRY.

Industrial Wastes

Industry production processes create a variety of wastewater pollutants, some that are difficult and/or costly to treat. Wastewater characteristics and levels of pollutants vary significantly by industry. Additionally, fluctuations may occur in the wastewater's daily and hourly flow, temperature, and composition. In some instances, several waste streams from different processes at an industry location may discharge at the same location. Discharges from industrial facilities can be direct or indirect. Direct discharges are made directly to a waterway or water body. Indirect discharges are usually made to Publicly Owned Treatment Plants (POTWs), and the discharge is treated by the POTW. Additionally, some facilities participate in source control that utilizes water reuse, waste minimization or pollution prevention to reduce or eliminate discharges of pollutants.

Conventional cleaning technology

Metal hydroxide precipitation is the standard method for removing harmful metals from metal finishing wastewater. This is achieved by adjusting the pH of the waste- water with an alkaline reagent to deposit the dissolved metals and settle and remove the resultant metal hydroxide precipitates. This procedure usually needs pre-treatment prior to metals precipitation, such as the oxidation of cyanide (CN⁻) or reduction of Cr(VI), to deal with substances that interfere with the precipitation. Nucleation agents are also used to enhance the settling of fine precipitates. The use of nucleation enhances the performance of the cleaning procedure so that the metal concentration in effluents after purification is characteristically one order of magnitude lower than after treatment without added nucleation agents. Nucleation agents can be a co-precipitated metals such as iron that is added as the sulphate/chloride salt to provide co-precipitation with ferric hydroxides. An excess of co-precipitation metal also masks, to some degree, complexing agents present in waste waters.

SCANPOL® products are developed in the line of Swedish environmental law that is forcing development of chemicals that have lowest impact on the environment. Therefore our developed SCANPOL® products for wastewater treatment are principally base on inorganic chemistry. Below you may find tables with comparison between standard iron chloride and some of SCANPOL® products.

Address
 Sandgatan 22A
 S – 602 21 Norrköping,
 Sweden

Tel/Fax
 +46-11-64204
Mobile phone: +46-708-160674
E-mail: jerzy@scandrill.se

Bankgirot
 5722-7688
VAT
 SE916694627801
www.scandrill.se

SCANPOL®40

COMPARISON OF FLOCCULATION AIDS AT TREATMENT OF WASTEWATER, HALF CONCENTRATES AND CONCENTRATES FROM METAL FINISHING AND PCB INDUSTRY

	SCANPOL®40	Iron chloride Fe CL₃
<i>Effect on quantitative precipitation of heavy metals from wastewater</i>		
- at PO ₄ ⁻⁻⁻ presence	Very high efficiency	Mediocre
- at CO ₃ ⁻⁻⁻ presence	Very high efficiency	No effect
- at F ⁻ presence	Very high efficiency	No effect
- at NH ₄ ⁺ presence	Very high efficiency	No effect
- at presence of week and medium strong complexes	Very high efficiency	No effect
<i>Sedimentation property for precipitated metal hydroxides at presence of:</i>		
- PO ₄ ⁻⁻⁻	Very good	Negative affected
- CO ₃ ⁻⁻⁻	Very good	Negative affected
- F ⁻	Very good	Negative affected
- NH ₄ ⁺	Very good	Negative affected
- week and medium strong complexes	Very good	Negative affected
<i>Treatment/Dewatering of sludge</i>		
	Very high efficiency. Up to 70% solid content in cakes	Worth pressing property, often wet cakes
Treatment of used process bath		
- black chromate	Very good flocculation aid	Does not work
- chromate build up on Cr ⁺⁺⁺ chemistry	Very good flocculation aid	Does not work
- developing/stripping of dry film/solder mask	Very good flocculation aid	Mediocre
<i>Economical aspects</i>		
- amount of sludge	Half of the sludge in comparison with FeCL ₃	Lot of sludge
- total price	Purchasing price + ½ tipping costs	Purchasing price + whole tipping costs

Comparison of flocculation aids at treatment of wastewater

Comparison of sludge volume at the some dosing ratio 1 ml/L or 1L/m³



Iron chloride
15% Fe



SCANPOL® 40

Picture from treatment of wastewater from Metal Finishing Department with SCANPOL®40



Waste and wastewater installation with capacity of 3m³/h that use SCANPOL®40

Address
Sandgatan 22A
S - 602 21 Norrköping,
Sweden

Tel/Fax
+46-11-64204
Mobile phone: +46-708-160674
E-mail: jerzy@scandril.se

Bankgirot *VAT*
5722-7688 SE916694627801
www.scandril.se

SCANPOL® 27

COMPARISON OF FLOCCULATION AIDS AT TREATMENT OF WASTEWATER, HALF CONCENTRATES AND CONCENTRATES FROM METAL FINISHING AND PCB INDUSTRY

	SCANPOL® 27	Iron chloride Fe CL₃
<i>Effect on quantitative precipitation of heavy metals from wastewater</i>		
- at PO ₄ ⁻⁻⁻ presence	Very high efficiency	Mediocre
- at CO ₃ ⁻⁻⁻ presence	Very high efficiency	No effect
- at F ⁻ presence	Very high efficiency	No effect
- at NH ₄ ⁺ presence	Very high efficiency	No effect
- at presence of week and medium strong complexes	Very high efficiency	No effect
<i>Sedimentation property for precipitated metal hydroxides at presence of:</i>		
- PO ₄ ⁻⁻⁻	Very good	Negative affected
- CO ₃ ⁻⁻⁻	Very good	Negative affected
- F ⁻	Very good	Negative affected
- NH ₄ ⁺	Very good	Negative affected
- week and medium strong complexes	Very good	Negative affected
<i>Treatment/Dewatering of sludge</i>		
	Very high efficiency. Up to 70% solid content in cakes	Worth pressing property, often wet cakes
Treatment of used process bath		
- black chromate	Very good flocculation aid	Does not work
- chromate build up on Cr ⁺⁺⁺ chemistry	Very good flocculation aid	Does not work
- developing/stripping of dry film/solder mask	Should not be applied for these wastes	Mediocre
<i>Economical aspects</i>		
- amount of sludge	Half of the sludge in comparison with FeCL ₃	Lot of sludge
- total price	Purchasing price + ½ tipping costs	Purchasing price + whole tipping costs

Comparison of flocculation aids at treatment of wastewater

Comparison of sludge volume at the some dosing ratio 1 ml/L or 1L/m³



Iron chloride
15% Fe



SCANPOL® 27

SCANPOL® 27



Picture from treatment of rinse water after copper alkali etch process with **SCANPOL® 27**

Presented practises and applications for **SCANPOL®** products show some of choice that may be done. Since **SCANPOL®** products had shown versatility within number of applications, it is possible that **SCANPOL®** products have additional undiscovered potential that may be tested according to customer's wishes and demands.

Jerzy Skowronek